ATTY DOCKET: PC0000775.01 (1502-42.01)

IN THE CLAIMS:

Please amend Claims 37 and 55, add new Claims 68-73, and cancel Claims 44-46 and 58-60 without prejudice.

1-36. (Canceled)

37. (Currently Amended) A system for intravertebral reduction, comprising:

a delivery instrument including a radially expandable element along an outside surface of a distal portion thereof;

an expandable device including a cavity, the expandable device being removably mountable to the expandable element with the expandable element in the cavity and each of the expandable device and the expandable element in an unexpanded condition, the expandable device including at least one continuous external surface and at least one continuous internal surface, said external surface having a first portion and a second portion movable away from one another upon expansion of the expandable element, each of the portions defining a first outer surface and a second outer surface, and said internal surface facing said cavity, wherein no part of said external surface faces any part of said internal surface, and wherein the expandable device is deliverable to an intravertebral space in the unexpanded condition and thereafter expandable with expansion of the expandable element to compress cancellous bone in the intravertebral space, wherein the expandable device has a stepped cross-section configuration such that in an expanded condition the first outer surfaces of the portions are separated by a first height and the second outer surfaces of the portions are separated by a second height greater than the first height; and

bone filler material positioned in the cavity between the first and second portions.

(1502-42.01)

38. (Original) The system of claim 37, wherein the expandable element includes a balloon

structure with an interior for receiving an expansion fluid.

39. (Original) The system of claim 38, wherein the expansion fluid is selectable from the group

consisting of: saline solution, compressed air, and radio-contrast fluid.

40. (Original) The system of claim 38, wherein the delivery instrument includes a shaft defining

a lumen in fluid communication with the interior of the expandable element.

41. (Cancelled)

42. (Previously Presented) The system of claim 37, wherein the first and second portions each

define an outer surface with bone engagement members therealong.

43. (Previously Presented) The system of claim 37, wherein the first and second portions are

uni-directionally movable away from one another upon expansion of the expandable element.

44. (Cancelled)

45. (Cancelled)

46. (Cancelled)

(1502-42.01)

47. (Previously Presented) The system of claim 37, wherein the first and second portions

include bone growth openings therethrough.

48. (Previously Presented) The system of claim 37, wherein the first and second portions are

substantially rigid and the expandable element is non-rigid.

49. (Previously Presented) The system of claim 37, wherein the first and second portions are

structured to maintain an expanded configuration after removal of the expandable element from

the cavity therebetween.

50. (Cancelled)

51. (Previously Presented) The system of claim 37, wherein the bone filler material includes

bone growth promoting material.

52. (Original) The system of claim 37, wherein the cavity opens at a distal and at a proximal end

of the expandable device.

53-54. (Cancelled)

55. (Currently Amended) A system for intravertebral reduction, comprising:

a delivery instrument including a non-rigid radially expandable element along an outside

surface of a distal portion thereof;

ATTY DOCKET: PC0000775.01 (1502-42.01)

an expandable device including a cavity between substantially rigid first and second

portions, the expandable device being structured structure for positioning in an intravertebral

space, wherein the expandable element is expandable in the cavity to move the first and

second portions away from one another and compress cancellous bone in the intravertebral

space, each of the portions defining an anterior outer surface and a posterior outer surface,

wherein the expandable device has a stepped cross-section configuration such that in

an expanded condition the anterior outer surfaces are separated by a first height and the

posterior outer surfaces are separated by a second height greater than the first height; and

bone filler material positioned in said expandable element in the cavity between the first

and second portions.

56. (Original) The system of claim 55, wherein the first and second portions each define

an outer surface with bone engagement members therealong.

57. (Original) The system of claim 55, wherein the first and second portions remain movably

engaged with one another during expansion of the expandable element.

58. (Cancelled)

59. (Cancelled)

60. (Cancelled)

ATTY DOCKET: PC0000775.01 (1502-42.01)

61. (Original) The system of claim 55, wherein the first and second portions include bone

growth openings therethrough.

62. (Original) The system of claim 55, wherein the first and second portions are structured to

maintain an expanded configuration after removal of the expandable element from the cavity

therebetween.

63. (Cancelled)

64. (Original) The system of claim 55, wherein the expandable device is radially expandable.

65. (Original) The system of claim 55, wherein the expandable device includes a width

between opposite sides thereof, the width remaining substantially constant in the unexpanded

and expanded conditions.

66-67. (Cancelled)

68. (New) A system for intravertebral reduction, comprising:

a delivery instrument including a radially expandable element along an outside surface

of a distal portion thereof;

an expandable device including a cavity, the expandable device being removably

mountable to the expandable element with the expandable element in the cavity and each

of the expandable device and the expandable element in an unexpanded condition, the

expandable device including at least one continuous first surface facing generally toward

(1502-42.01)

said cavity, and at least one continuous second surface facing generally away from said

cavity, said first surface having a first portion and a second portion movable away from

one another upon expansion of the expandable element, each of the portions defining a

first outer surface and a second outer surface, wherein said second surface does not move

alone any part of said first surface, and wherein the expandable device is deliverable to an

intravertebral space in the unexpanded condition and thereafter expandable with

expansion of the expandable element to compress cancellous bone in the intravertebral

space,

wherein the expandable device has a stepped cross section configuration such

that in an expanded condition the first outer surfaces are separated by a first height

and the second outer surfaces are separated by a second height greater than the first

height,

the first portion and the second portion being selectively and independently

movable relative to the other; and

filler material positioned in the cavity between the first and second portions.

69. (New) The system of claim 37, wherein said filler material is bone growth material injected

into said expandable element.

70. (New) The system of claim 69, wherein said bone growth material causes said expansion

of the expandable element and expansion of said expandable device.

(1502-42.01)

71. (New) The system of claim 55, wherein said expandable device includes at least one

continuous external surface and at least one continuous internal surface, said internal surface

facing said cavity, wherein no part of said external surface faces any part of said internal

surface.

72. (New) The system of claim 37, wherein the first portion and the second portion are

selectively and independently movable relative to the other.

73. (New) The system of claim 55, wherein the first portion and the second portion are

selectively and independently movable relative to the other.